

ORDER FORM

National Distribution Centre
133-139 Cowpasture Road
Wetherill Park NSW 2164
Australia

T 1300 663 848
F 1300 937 713

Lidco Sales Order Number

Metal Finish*

*One (1) finish per form

Extrusions

Customer P/Order No.	
Order Date	
Date Requested	
Customer Number	
Customer Name	
Customer Phone No.	
Authorised By	
Ship To	

Item Number	For Office Use	Length (mm)	Description	Quantity	For Office Use
LSS-402		6500	Bead		
LSS-205		5000	Coupler - 135 Degrees		
400-673		5000	Flyscreen		
LSS-208		5000	Frame - Double Hung Fixlight		
LSS-210		6500	Frame - Double Hung Fixlight Male		
LSS-201		6500	Head - Double Hung		
LSS-202		5000	Jamb - Double Hung		
LSS-207		5000	Mullion - Double Hung		
LSS-203		6500	Rail - Double Hung		
LSS-215		6500	Rail - Double Hung Top and Bottom		
LSS-200		6500	Sill - Double Hung		
LSS-204		5000	Stile - Double Hung		

All sales are subject to the Terms and Conditions of Sale and can be viewed at www.lidco.com.au

ORDER FORM

Customer P/Order No.	
----------------------	--

Hardware

Item Number	For Office Use	Description	Note	Quantity	For Office Use
00-058		Latch	Black		
00-058-92607		Keyed Latch	Black		
00-058-92609		Keyed Latch	Black		
00-059		Keeper	Stainless		
02-015		4mm Woolpile	Black		
02-016		6.3mm Woolpile	Black		
02-019		4.25mm Finseal	Black		
02-020		6.25mm Finseal	Black		
02-511		Sill Flap	Black - PVC		
03-044		Skid Block	Black - Plastic		
03-134		Sash Stop – Bottom	Black - Plastic		
03-135		Sash Stop – Top	Black - Plastic		
04-513		Glazing Channel – 3mm	Black - PVC		
04-514		Glazing Channel – 4mm	Black - PVC		
04-515		Glazing Channel – 5mm	Black - PVC		
04-516		Glazing Channel – 6mm	Black - PVC		
04-523		Glazing Wedge – 3mm	Black - PVC		
04-524		Glazing Wedge – 4mm	Black - PVC		
04-525		Glazing Wedge – 5mm	Black - PVC		
04-526		Glazing Wedge – 6mm	Black - PVC		
04-533		Glazing Tape			
05-532		Gasket – Kit	Foam		
05-673		Corner Stake	Black - Plastic		
06-136		Male/Female Balance Tube Screw			
06-534		Bow Spring			
06-500-01		Spiral Balance - Up To 7.25kg	Tube Length - 318mm		

All sales are subject to the Terms and Conditions of Sale and can be viewed at www.lidco.com.au

ORDER FORM

Customer P/Order No.

Hardware

Item Number	For Office Use	Description	Note	Quantity	For Office Use
06-500-02		Spiral Balance - Up To 7.25kg	Tube Length - 343mm		
06-500-03		Spiral Balance - Up To 7.25kg	Tube Length - 368mm		
06-500-04		Spiral Balance - Up To 7.25kg	Tube Length - 394mm		
06-500-05		Spiral Balance - Up To 7.25kg	Tube Length - 419mm		
06-500-06		Spiral Balance - Up To 7.25kg	Tube Length - 445mm		
06-500-07		Spiral Balance - Up To 7.25kg	Tube Length - 470mm		
06-500-08		Spiral Balance - Up To 7.25kg	Tube Length - 495mm		
06-500-09		Spiral Balance - Up To 7.25kg	Tube Length - 521mm		
06-500-10		Spiral Balance - Up To 7.25kg	Tube Length - 546mm		
06-500-11		Spiral Balance - Up To 7.25kg	Tube Length - 572mm		
06-500-12		Spiral Balance - Up To 7.25kg	Tube Length - 597mm		
06-500-13		Spiral Balance - Up To 7.25kg	Tube Length - 622mm		
06-500-14		Spiral Balance - Up To 10kg	Tube Length - 648mm		
06-500-15		Spiral Balance - Up To 10kg	Tube Length - 673mm		
06-500-16		Spiral Balance - Up To 10kg	Tube Length - 699mm		
06-500-17		Spiral Balance - Up To 10kg	Tube Length - 724mm		
06-500-18		Spiral Balance - Up To 10kg	Tube Length - 749mm		
06-500-19		Spiral Balance - Up To 10kg	Tube Length - 775mm		
06-500-20		Spiral Balance - Up To 10kg	Tube Length - 800mm		
06-500-21		Spiral Balance - Up To 10kg	Tube Length - 826mm		
06-500-22		Spiral Balance - Up To 10kg	Tube Length - 851mm		
06-500-23		Spiral Balance - Up To 14kg	Tube Length - 876mm		
06-500-24		Spiral Balance - Up To 14kg	Tube Length - 902mm		
06-500-25		Spiral Balance - Up To 14kg	Tube Length - 927mm		
06-500-26		Spiral Balance - Up To 14kg	Tube Length - 953mm		
06-500-27		Spiral Balance - Up To 14kg	Tube Length - 978mm		

All sales are subject to the Terms and Conditions of Sale and can be viewed at www.lidco.com.au

ORDER FORM

Customer P/Order No.	
----------------------	--

Hardware

Item Number	For Office Use	Description	Note	Quantity	For Office Use
06-500-28		Spiral Balance - Up To 14kg	Tube Length - 1003mm		
06-500-29		Spiral Balance - Up To 14kg	Tube Length - 1029mm		
06-534		Alignment Spring	Double Hung		
06-600-001		Spring Balance-Up To 2.75kg	Height 500-599mm (No Foot)		
06-600-002		Spring Balance-Up To 4.25kg	Height 500-599mm (No Foot)		
06-600-003		Spring Balance-Up To 6.00kg	Height 500-599mm (No Foot)		
06-600-004		Spring Balance-Up To 10.00kg	Height 500-599mm (No Foot)		
06-600-008		Spring Balance-Up To 2.75kg	Height 600-699mm (No Foot)		
06-600-009		Spring Balance-Up To 4.25kg	Height 600-699mm (No Foot)		
06-600-010		Spring Balance-Up To 6.00kg	Height 600-699mm (No Foot)		
06-600-011		Spring Balance-Up To 10.00kg	Height 600-699mm (No Foot)		
06-600-012		Spring Balance-Up To 14.00kg	Height 600-699mm (No Foot)		
06-600-015		Spring Balance-Up To 2.75kg	Height 700-799mm (No Foot)		
06-600-016		Spring Balance-Up To 4.25kg	Height 700-799mm (No Foot)		
06-600-017		Spring Balance-Up To 6.0kg	Height 700-799mm (No Foot)		
06-600-018		Spring Balance-Up To 10.00kg	Height 700-799mm (No Foot)		
06-600-021		Spring Balance-Up To 22.00kg	Height 700-799mm (No Foot)		
06-600-022		Spring Balance-Up To 2.75kg	Height 800-899mm (No Foot)		
06-600-023		Spring Balance-Up To 4.25kg	Height 800-899mm (No Foot)		
06-600-024		Spring Balance-Up To 6.00kg	Height 800-899mm (No Foot)		
06-600-025		Spring Balance-Up To 10.00kg	Height 800-899mm (No Foot)		
06-600-026		Spring Balance-Up To 14.00kg	Height 800-899mm (No Foot)		
06-600-029		Spring Balance-Up To 2.75kg	Height 900-999mm (No Foot)		
06-600-030		Spring Balance-Up To 4.25kg	Height 900-999mm (No Foot)		
06-600-031		Spring Balance-Up To 6.00kg	Height 900-999mm (No Foot)		
06-600-032		Spring Balance-Up To 10.00kg	Height 900-999mm (No Foot)		

All sales are subject to the Terms and Conditions of Sale and can be viewed at www.lidco.com.au

ORDER FORM

Customer P/Order No.

Hardware

Item Number	For Office Use	Description	Note	Quantity	For Office Use
06-600-033		Spring Balance-Up To 14.00kg	Height 900-999mm (No Foot)		
06-600-036		Spring Balance-Up To 2.75kg	Height 1000-1099mm (No Foot)		
06-600-037		Spring Balance-Up To 4.25kg	Height 1000-1099mm (No Foot)		
06-600-038		Spring Balance-Up To 6.00kg	Height 1000-1099mm (No Foot)		
06-600-039		Spring Balance-Up To 10.00kg	Height 1000-1099mm (No Foot)		
06-600-040		Spring Balance-Up To 14.00kg	Height 1000-1099mm (No Foot)		
06-600-041		Spring Balance-Up To 18.00kg	Height 1000-1099mm (No Foot)		
06-600-043		Spring Balance-Up To 2.75kg	Height 1100-1199mm (No Foot)		
06-600-044		Spring Balance-Up To 4.25kg	Height 1100-1199mm (No Foot)		
06-600-045		Spring Balance-Up To 6.00kg	Height 1100-1199mm (No Foot)		
06-600-046		Spring Balance-Up To 10kg	Height 1100-1199mm (No Foot)		
06-600-047		Spring Balance-Up To 14.00kg	Height 1100-1199mm (No Foot)		
06-600-048		Spring Balance-Up To 18.00kg	Height 1100-1199mm (No Foot)		
06-600-050		Spring Balance-Up To 2.75kg	Height 1200-1299mm (No Foot)		
06-600-051		Spring Balance-Up To 4.25kg	Height 1200-1299mm (No Foot)		
06-600-052		Spring Balance-Up To 6.00kg	Height 1200-1299mm (No Foot)		
06-600-053		Spring Balance-Up To 10.00kg	Height 1200-1299mm (No Foot)		
06-600-054		Spring Balance-Up To 14.00kg	Height 1200-1299mm (No Foot)		
06-600-055		Spring Balance-Up To 18.00kg	Height 1200-1299mm (No Foot)		
06-600-056		Spring Balance-Up To 22.00kg	Height 1200-1299mm (No Foot)		
06-600-057		Spring Balance-Up To 2.75kg	Height 1300-1399mm (No Foot)		
06-600-058		Spring Balance-Up To 4.25kg	Height 1300-1399mm (No Foot)		
06-600-059		Spring Balance-Up To 6.00kg	Height 1300-1399mm (No Foot)		
06-600-060		Spring Balance-Up To 10.00kg	Height 1300-1399mm (No Foot)		
06-600-061		Spring Balance-Up To 14.00kg	Height 1300-1399mm (No Foot)		
06-600-062		Spring Balance-Up To 18.00kg	Height 1300-1399mm (No Foot)		

All sales are subject to the Terms and Conditions of Sale and can be viewed at www.lidco.com.au

ORDER FORM

Customer P/Order No.	
----------------------	--

Hardware

Item Number	For Office Use	Description	Note	Quantity	For Office Use
06-600-063		Spring Balance-Up To 22.00kg	Height 1300-1399mm (No Foot)		
06-600-064		Spring Balance-Up To 2.75kg	Height 1400-1499mm (No Foot)		
06-600-065		Spring Balance-Up To 4.25kg	Height 1400-1499mm (No Foot)		
06-600-066		Spring Balance-Up To 6.00kg	Height 1400-1499mm (No Foot)		
06-600-067		Spring Balance-Up To 10.00kg	Height 1400-1499mm (No Foot)		
06-600-068		Spring Balance-Up To 14.00kg	Height 1400-1499mm (No Foot)		
06-600-069		Spring Balance-Up To 18.00kg	Height 1400-1499mm (No Foot)		
06-600-071		Spring Balance-Up To 2.75kg	Height 1500-1599mm (No Foot)		
06-600-072		Spring Balance-Up To 4.25kg	Height 1500-1599mm (No Foot)		
06-600-073		Spring Balance-Up To 6.00kg	Height 1500-1599mm (No Foot)		
06-600-074		Spring Balance-Up To 10.00kg	Height 1500-1599mm (No Foot)		
06-600-075		Spring Balance-Up To 14.00kg	Height 1500-1599mm (No Foot)		
06-600-076		Spring Balance-Up To 18.00kg	Height 1500-1599mm (No Foot)		
06-600-077		Spring Balance-Up To 22.00kg	Height 1500-1599mm (No Foot)		
06-600-078		Spring Balance-Up To 2.75kg	Height 1600-1699mm (No Foot)		
06-600-079		Spring Balance-Up To 4.25kg	Height 1600-1699mm (No Foot)		
06-600-080		Spring Balance-Up To 6.00kg	Height 1600-1699mm (No Foot)		
06-600-081		Spring Balance-Up To 10.00kg	Height 1600-1699mm (No Foot)		
06-600-082		Spring Balance-Up To 14.00kg	Height 1600-1699mm (No Foot)		
06-600-083		Spring Balance-Up To 18.00kg	Height 1600-1699mm (No Foot)		
06-600-084		Spring Balance-Up To 22.00kg	Height 1600-1699mm (No Foot)		
06-600-085		Spring Balance-Up To 2.75kg	Height 1700-1799mm (No Foot)		
06-600-086		Spring Balance-Up To 4.25kg	Height 1700-1799mm (No Foot)		
06-600-087		Spring Balance-Up To 6.00kg	Height 1700-1799mm (No Foot)		
06-600-088		Spring Balance-Up To 10.00kg	Height 1700-1799mm (No Foot)		
06-600-089		Spring Balance-Up To 14.00kg	Height 1700-1799mm (No Foot)		

All sales are subject to the Terms and Conditions of Sale and can be viewed at www.lidco.com.au

ORDER FORM

Customer P/Order No.	
----------------------	--

Hardware

Item Number	For Office Use	Description	Note	Quantity	For Office Use
06-600-090		Spring Balance-Up To 18.00kg	Height 1700-1799mm (No Foot)		
06-600-091		Spring Balance-Up To 22.00kg	Height 1700-1799mm (No Foot)		
06-600-092		Spring Balance-Up To 2.75kg	Height 1800-1899mm (No Foot)		
06-600-093		Spring Balance-Up To 4.25kg	Height 1800-1899mm (No Foot)		
06-600-094		Spring Balance-Up To 6.00kg	Height 1800-1899mm (No Foot)		
06-600-095		Spring Balance-Up To 10.00kg	Height 1800-1899mm (No Foot)		
06-600-096		Spring Balance-Up To 14.00kg	Height 1800-1899mm (No Foot)		
06-600-097		Spring Balance-Up To 18.00kg	Height 1800-1899mm (No Foot)		
06-600-098		Spring Balance-Up To 22.00kg	Height 1800-1899mm (No Foot)		
06-600-099		Spring Balance-Up To 2.75kg	Height 1900-1999mm (No Foot)		
06-600-102		Spring Balance-Up To 10.00kg	Height 1900-1999mm (No Foot)		
06-600-103		Spring Balance-Up To 14.00kg	Height 1900-1999mm (No Foot)		
06-600-104		Spring Balance-Up To 18.00kg	Height 1900-1999mm (No Foot)		
06-600-105		Spring Balance-Up To 22.00kg	Height 1900-1999mm (No Foot)		
06-600-106		Spring Balance-Up To 2.75kg	Height 2000-2099mm (No Foot)		
06-600-107		Spring Balance-Up To 4.25kg	Height 2000-2099mm (No Foot)		
06-600-108		Spring Balance-Up To 6.00kg	Height 2000-2099mm (No Foot)		
06-600-109		Spring Balance-Up To 10.00kg	Height 2000-2099mm (No Foot)		
06-600-110		Spring Balance-Up To 14.00kg	Height 2000-2099mm (No Foot)		
06-600-111		Spring Balance-Up To 18.00kg	Height 2000-2099mm (No Foot)		
06-600-112		Spring Balance-Up To 22.00kg	Height 2000-2099mm (No Foot)		
06-600-113		Spring Balance-Up To 2.75kg	Height 2100-2199mm (No Foot)		
06-600-114		Spring Balance-Up To 4.25kg	Height 2100-2199mm (No Foot)		
06-600-115		Spring Balance-Up To 6.00kg	Height 2100-2199mm (No Foot)		
06-600-116		Spring Balance-Up To 10.00kg	Height 2100-2199mm (No Foot)		
06-600-117		Spring Balance-Up To 14.00kg	Height 2100-2199mm (No Foot)		

All sales are subject to the Terms and Conditions of Sale and can be viewed at www.lidco.com.au



Customer P/Order No.

[illegible]

1112

TO ORDER FAX TO 1300 937 713